

SPORT S 428

The size, power and amenities built into the S 428, deem it the epitome of a legend—with the ability to fish, cruise and entertain in unrivaled style and comfort.

With an L.O.A. of 43' 9" and powered by quad Yamaha 425 XTO engines, the S 428 is the largest and most powerful Pursuit ever built.

Within this grand footprint, you'll find an abundance of rod holders, three fishboxes, ample tackle storage and bait prep areas, plus extra-large fridge and freezer boxes. There's even an industry-first second row of powered, convertible seats under the oversized hardtop.

When it's time to entertain, your crew will have plenty of social zones to choose from. A spacious cabin features plenty of light and great views, thanks to the innovative cabin and hull side windows. Whether it's swimming up to the electrohydraulic hull-side beach platform, fishing from the generous cockpit or enjoying the well-appointed entertainment center, every detail was designed to go beyond your wildest expectations.

POWERFUL. SLEEK. GRAND. This is the stuff of legends.









SPECIFICATIONS | S 428

L.O.A. 43' 9" (13.33 m) Beam 13' 0" (3.96 m) Hull Draft Motors Up 2' 10" (0.79 m) Hull Draft Motors Down 3' 9" (1.14 m) Clearance w/Hardtop from Waterline* 9' 2" (2.79 m) Approx. Dry Weight - Quad 425 XTO Engines 23,600 lbs (10,705 kg) Fuel Capacity** 547 U.S. gallons (2,071 L) Diesel Generator Tank 24 U.S. gallons (90 L) Fresh water Capacity 70 U.S. gallons (265 L) Holding Tank Capacity 22 U.S. gallons (83 L) Max. Horsepower 1700 hp (1268 kw) Deadrise 22°

HULL & HELM COLOR OPTIONS



PERFORMANCE | Quad Yamaha® 425 XTO Engines

Cruise Speed 31 MPH at 3500 RPM Consumption 43.4 GPH (0.71 MPG) Range* 351 Miles Top Speed 59.3 MPH *Range based on 90% of total fuel capacity

*Hardtop Clearance shown does not include options which could increase this height dimension. **Net tank copacity. The usable fuel capacity will be affected by several factors, including EPA-required fuel system components, temperature and loading of the boot. These factors will reduce the usable fuel capacity by approximately 10%.



STANDARD EQUIPMENT

HULL FEATURES

- Pursuit[®] Protection Plan:
 - 5 Year Hull and Deck Structural Warranty
 - 5 Year Blister Free Warranty
 - 2 Year Limited Warranty
- Pursuit Fresh White Gelcoat and Laminated Hull with Vinyl Ester Resin and Engineered Fabrics
- 5 Ply Resin Infused Composite Transom System with Patented Transom Reinforcement Grid
- Infused Fiberglass Structural Grid System with Molded Finish and Integrated Bilge Water Management Svstem
- Foam Filled Structural Grid
- Bronze Thru Hull Fittings Below Water Line
- Chrome over Bronze Thru Hull Fittings Below the 7 Degree Heel Line
- Stainless Clad Composite Thru Hull Fittings Above the 7 Degree Heel Line
- Bronze Garboard Drain
- Zipwake Trim Control System, Series S Interceptors, Fully Automatic Pitch and Roll Control
- Bow Eye, 5/8" 316L Stainless Steel
- Integrated Transom Platform Extensions Outboard of Engines
- Boarding Ladder, 3-Step Telescopic, Mounted in Hull Platform
- Molded Hull Side Frameless Tempered Glass Windows
- Anchor System, Integrally Molded Thru-stem
- Dedicated Transducer Location
- Forward Hull Compartmentation with One (1) 900 GPH Bilge Pump with Automatic Float Switch
- Two (2) 1500 GPH Bilge Pumps with Electric Switches
- Bow Thruster, 5.4 HP (4.0kW) with Group 31 AGM Battery, Switch and Fuse

DECK FEATURES

- Hull and Deck Joint: Mechanically Fastened and Thru-Bolted at Cleat Locations
- Rub Rail: High Density PVC with Solid 316L Stainless Steel Insert
- Transom Cap, 316L Stainless Steel
- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area and Overboard Drains
- Cleats, 316 Stainless Steel, 10" Pop Up (2) Stern, (4) Spring and (2) Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks
- Flush Mounted Integral Anchor Locker with Fiberglass Lid including: Vertical Anchor Windlass with Switch at Helm and Remote at Anchor Locker, 316L Stainless Steel through Stem Anchor Roller with 8" Mooring Cleat, Chain Binder, 35lb Stainless Steel Plow Style Anchor, Self-Righting Swivel, 320' Rode (5/8" 8 Plait Including 20' of G4 Chain), Fresh and Raw Water Quick Connect Fittings and a LED Courtesv Light
- Self-Draining Cockpit with Molded Water Management and 316L Stainless Steel Drainage Grates
- Bow to Mid-ship Grab Rails, 316L Stainless Steel (Port and Starboard)
- Transom Grab Rails, 316L Stainless Steel (Port and Starboard)
- Single Level Splashwell Deck with Non-Skid for Athwartship Access
- Shore Power Inlet, 316L Stainless Steel
- Dockside Fresh Water Inlet

DECK FEATURES

- Hull and Deck Joint: Mechanically Fastened and Thru-Bolted at Cleat Locations
- Rub Rail: High Density PVC with Solid 316L Stainless Steel Insert
- Transom Cap. 316L Stainless Steel
- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area and Overboard Drains
- Cleats, 316 Stainless Steel, 10" Pop Up (2) Stern, (4) Spring and (2) Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks

- Flush Mounted Integral Anchor Locker with Fiberglass Lid including: Vertical Anchor Windlass with Switch at Helm and Remote at Anchor Locker, 316L Stainless Steel through Stem Anchor Roller with 8" Mooring Cleat, Chain Binder, 35lb Stainless Steel Plow Style Anchor, Self-Righting Swivel, 320' Rode (5/8" 8 Plait Including 20' of G4 Chain), Fresh and Raw Water Quick Connect Fittings and a LED Courtesy Light
- Self-Draining Cockpit with Molded Water Management and 316L Stainless Steel Drainage Grates
- Bow to Mid-ship Grab Rails, 316L Stainless Steel (Port and Starboard)
- Transom Grab Rails, 316L Stainless Steel (Port and Starboard)
- Single Level Splashwell Deck with Non-Skid for Athwartship Access
- Shore Power Inlet, 316L Stainless Steel
- Dockside Fresh Water Inlet

COCKPIT FEATURES

- Molded Forward Bow Seating with Insulated Storage Below, Electric-Actuating Hinged Forward Facing Backrests for Port and Starboard Seats with Clear Passage Forward (removable jump seat)
- Bow Tables (Fiberglass) with Removable Bases and Designated Storage
- Bow Sunpad Chaise for Two (2) with Adjustable Backrests, Armrests and Drink Holders
- Forward Facing Seating with Adjustable Backrest for Two (2) Forward of Chaise
- Bow Floor Access Hatch with Dedicated Gear Locker/ Storage Below Deck (Access to Bow Thruster components)
- Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Full Cockpit Breathable Coaming Bolsters with Dri-Fast Foam
- Pursuit Cockpit JL Audio Custom Tuned Entertainment System: JL Media Master 12V Bluetooth® Compatible , Stereo System, Premium JL Audio Speakers Eight (8) Total, Six (6) 7.7" Exterior and Two (2) 10" Subwoofers, Two (2) Amplifiers, Remote at Bow and Ext Antenna
- Pursuit Custom Triple Captain's Seats with Dedicated Folding Armrests, Three (3) Articulating Flip-Up Bolsters and Lumbar Support, Center Seat has Fore, Aft and Vertical Adjustments
- Helm Seat Box Content: Slide-out Trash Can Access (Port Side) DC Panel and Battery Switch Access (Starboard Side)
- Bridge/Helm Machinery Access Hatch
- Molded Cockpit Entertainment Center with Corian Accents, Molded Sink, Hot/Cold Mixing Faucet, Electric Cockpit Grill, Top Load Refrigerator/Freezer (11 gallon) with Digitally Controlled Thermostat, Sliding Storage Tray, Hinged Fiberglass Lids, Cutting Board, Dedicated Storage Drawers and 120V Outlet with GFI Protection
- Aft Facing Molded Mezzanine Seat with Armrests and Dedicated Storage Below and Secondary Row of Forward-Facing Bridge Seats (2) (Entire Assembly is Power Sliding Fore/Aft]
- Custom Molded Cockpit Table with Dedicated Storage
- Folding Transom Seat with Patent-pending
- Flipping Backrest
- Extra Deep Drink Holders, 316L Stainless Steel, Eleven (11)
- Cockpit Machinery Access Hatch
- Fresh Water Cockpit Shower with Hot/Cold Mixing Valve and Pull Out Spraver
- Raw and Fresh Water Outlets in Cockpit with Quick Connect Fittings and 25' Coil Hose
- Yamaha Electronic Engine Flush Hose Connection •
- Side Boarding Door, Inward Opening (Port Side)
- Side Boarding Door Swim/Dive Ladder Receiver
- Side Boarding Platform, Outward Opening, Electrically Actuated (Starboard Side) with Swim/Dive Ladder Receiver
- LED Cockpit Courtesy Lights (10) with Waterproof Switch in Cockpit
 - LED Mid-Level Cockpit Accent Lights (10), Full Spectrum, with Control Panel

- Cockpit Fire Extinguisher Under Gunwale
- Bow Seat Cover Stamoid® Light
- Chaise Seat Cover, Front of Console Stamoid[®] Light
- Entertainment Center and Seat Cover Stamoid® Light
- Aft Facing Cockpit Seat Cover Stamoid® Light

FISH FEATURES

- Rod Holders, Ten (12) Total, Stainless Steel - Four (4) in Gunwale, Four (4) in Transom, - Four (4) in Bow
- Transom Livewells, Lighted Oceana Blue (36 gallons Each) Recirculating and Insulated with Fiberglass Lid and Acrylic Window (Port and Starboard)
- Cockpit Tackle Center with Storage for Four (4) Plano Trays and Tackle Drawer (Port and Starboard)
- Fish Boxes, Three (3) Totaling 134 gallons – Transom (68 gallon) Insulated, Refrigerator/ Freezer with Digitally Controlled Thermostat and Overboard Drain
 - Cockpit Floor (42 gallon) Insulated, Diaphragm Pump with Overboard Discharge (Port)
- Cockpit Floor (24 gallon) Insulated, Diaphragm Pump with Overboard Discharge (Starboard)
- Rod Storage, Lockable, Under Port Gunwale for Three (3) with Custom Embroidered Reel Pad
- Rod Storage, Under Bow Gunwale for Two (2) with Custom Embroidered Reel Pad (Port and Starboard)
- Rod Storage, Under Hardtop for Two (2) (Port and Starboard)
- Rod Storage, Lockable, in Cabin for Four (4)
- Aluminum Reinforcement Plates and Wiring for Downrigger Installation, Aft Gunwale (Port and Starboard)

HARDTOP & WINDSHIELD

• Molded Fiberglass Full Beam Hardtop with Visor

Stainless Steel (Port and Starboard)

Water Washer

Actuated Mount

and Starboard)

Starboard)

HELM

• Horn, Trumpet

Backlit Function

I FD Lighting

• Six (6) Tri Color LED Lights

Facing Spreader Light

Pantograph Windshield Wiper with Fresh

• Anchor/Stern LED Lights with Burgee Rings

External AM/FM Antenna with Electrically

Integrated Stereo Speakers, Four (4)

and USA Flag with Electrically Actuated Mount

• Two (2) Aft Facing Spreader Lights, One (1) Forward

• Overhead Electronics Display Flat, Yamaha[®] CL7 Display

• Rod Storage, Under Hardtop for Two (2) (Port

Steel (Port, Starboard and Aftwartship)

Footrest/Platform and Safety Lanyard

with Programable Steering Friction

• Custom Grab Rail, 316L Stainless Steel

• Single Windshield Wiper with Washer Control

Wireless Phone Charger)

Bow Thruster Jovstick Control

Navigation Lights, LED, 2 Mile

(CL7 deletes with optional Garmin® Electronics)

• Fiberalass Hardtop with Dedicated Radar. Antenna.

Outrigger Locations and Grab Rails, 316L Stainless

Hardtop Access/Ventilation Sliding Hatches (Port and

Molded Fiberglass Aft Tilting Helm with Instrumentation
 Visor, Electronics Mounting Surface, Fold Out Fiberglass

• 12V Switch Panel with Illuminated Rocker Switches and

• Steering Wheel, 316L Stainless Steel, with Control Knob

Custom Helm Accents with Upholstery and Blue

• Top Load Glovebox (Contains JL Audio USB Port and

and Non-Slip Grip on Yamaha Electric Steering Control

 Powder Coated Hardtop Structural Supports Integrated Ladder Rungs for Access to Hardtop • Custom Windshield System with Optically Clear

Laminated Windshield Glass with Electrically Actuated

Vents (Port and Starboard), Tempered Side Glass with Powder Coated Structural Frame and Grab Rails, 316L

- Ritchie[®] Navigator Compass
- Port Fold-down Footrest
- Zipwake Trim System Control Panel
- JL Audio Media Master Full Function Display
- Helm Drink Holders (2) Extra Deep and (2) Regular, 316L Stainless Steel
- 12V Outlets (1) and Dual USB Charger (1)
- Helm Fire Extinguisher Under Gunwale
- Yamaha® Command Link Plus Display (Overhead CL7 deletes with optional Garmin Electronics)
- Helm Instrument Cover Stamoid® Light
- Helm/Companion Seat Cover Stamoid[®] Light
 Helm Mechanical Space Access Hatch with Nonskid and Synthetic Teak Accents

CABIN

- Molded Acrylic Access Door with Secondary Framed Screen Door and 316L Stainless Steel Locking Latch
 Full Silvershare Only in Pack Lines
- Full Fiberglass Cabin Deck Liner
- Full Fiberglass Hull Liner with Sound Dampening Insulation
- Cabin Entry Steps with Custom Handrail and Wood Treads
- Custom Solid Wood Tongue and Groove Floor Accents
- Solid Wood Veneers on Interior Cabinetry
- Solid Wood Interior Table with Fixed Table Leg, 316L Stainless Steel
- Hanging Locker
- 240V/60 Cycle Cabin Air Conditioning w/Reverse Cycle Heat, 8,000 BTU
- 32" LED TV with Custom Cabinetry Surround
- Forward Berth with 5" Foam Cushions and Filler
- Removable Settee Backrests with Outboard Storage
 and Indirect Accent Lighting (Port and Starboard)
- Vista View Forward Console Side Windows (Port and Starboard) Allow Sightlines through Hull Side Windows
- Aft Console Side Windows (Port and Starboard) with Integrated Flush Portlights
- Custom Window Trim with Accordion Style Blinds
- Interior Rod Storage, Head Bulkhead (2) and Starboard Side (2)
- Overhead Skylight with Custom Upholstered Accent
- 12V Outlet. One (1), Dual USB Charger, Three (3)
- Companionway Switch Panel
- Accent Floor Lights, Two (2)
- Overhead LED at Companionway, One (1)
- Overhead LED at Berth, Four (4) - Indirect Strip Lighting, Three (3)
- Storage Drawer with Integrated Prep Surface
- Storage brawer with integrated Prep Surfa
 120V Microwave Oven (1.1 cu. ft.)
- I2UV Microwave Uven [I.I cu. ft.]
- 120V Outlet with GFI Protection
- CO Monitor
- Fire Extinguisher

AC Distribution Panel

- HEAD (STARBOARD SIDE)
- Fiberglass Private Head Compartment with Non-Skid Pattern Area
- Corian® Countertop with Sink, Hot/Cold Faucet and Storage Cabinet Below
- Vacuum Flush Elongated Marine Head with 22 Gallon Holding Tank, Macerator Discharge Pump, 316L Stainless Steel Deck Pump-out Fitting and Bronze Thru Hull Fitting with Seacock
- Fiberglass Toilet Seat Cover
- Upper Vanity Mirror
- Toilet Tissue Holder
- Towel Rack
- Shower Sump Box Drain with Automatic Discharge Pump
- Shower with Hot/Cold Mixing Valve and Shower Wand
- Tempered Glass Console Side Window with Vented Portlight and Privacy Screen
- 120V Outlet with GFI Protection
- Two-Switch Panel with Overhead LED Lights, Three (3) and Floor LED Accent Light Two (2)
- Head Door Gear Hook

Shower Curtain with Storage Cover

ELECTRICAL SYSTEM

- UL® Rated Fully Tinned, Color Coded Copper Wire
- Custom In-House Built, Heat Sealed, Mechanically Crimped, Color Coded Battery Cables
- Custom In-House Built, Electrical Harness with Waterproof Connectors and Chafe Protection
- Powder Coated, Aluminum, Screen Printed (Front and Back) Battery Switch and Breaker Panel
- Bonding System: Thru Hull Fittings Below Water Line, Zinc Anode and Garboard Drain
- Eight Battery System: Port Engine (1), Port Center Engine (1), Starboard Center Engine (1), Starboard Engine (1), Electronics (1) (AGM), House (2) (AGM) and Bow Thruster (1) (AGM)
- One (1) 40 Amp Battery Charger for House, Electronics and Bow Thruster Batteries
- One (1) 20 Amp Battery Charger for Engine Batteries
- 12V Outlets, Two (2) and Dual USB Chargers, Four (4)
- One Grounding Bus Bar
- Single 240V 50 Amp 60 Cycle Dockside
 Power Connection
- 240V 50 Amp 50' Dockside Power Cord with Switch or Wireless Remote Operated Electric Cord Retract Reel
- Isolation Transformer
- 120V Outlets with GFI Protection, Three (3)
- Pursuit Custom 12V and 120V Interior MDP Switch Panel for Cabin Interior Circuits

AFT MECHANICAL SPACE

- Molded Interior White Gel Coat
- Molded Hatch with Gasket and Stainless Steel Gas Spring
- Molded Bilge Sump Area
- Mechanical Space Access Steps (Port and Starboard)
- One (1) 1500 GPH Bilge Pump with Electronic Switch and One (1) 1500 GPH Pump with High Water Electronic Switch and Alarm with Stainless Steel Clad Composite Thru Hull Fittings
- Raw Water Pump with Inline Filter, Seacock and Thru Hull Fitting
- Livewell Cyclone Pump with Bronze Sea Strainer, Seacock and Thru Hull Fitting (Port and Starboard)
- Dedicated Fish Box Diaphragm Evacuation Pumps
 Dedicated Storage for Side Door/Platform Boarding
- Dedicated Storage for Side Door/Platform Boarding
 Dive Style Telescoping Ladder
- Dedicated Storage for 12 lb. Fluke Style Anchor with 30' of 1/2" 8-plait Line and Poly Storage Rack
- Dedicated Storage for 5 Gallon Bucket
- Battery Service Slide System, 316L SS (Port and Starboard)

FWD MECHANICAL SPACE

- One Low Profile 900 GPH Bilge Pump with Integrated Float Switch, with Stainless Steel Clad Composite Thru Hull Fitting
- Fresh Water Pressure Sensing Pump with Filter

FUEL SYSTEM

- EPA Compliant 574 Gallon Aluminum Fuel Tank with Engine Pickups, Shutoff Valves, Digital Level Indicator, and Deck Fuel Fill Plate (Port Side)
- Custom Built Premium Fuel Feed Lines with Mechanically Crimped Fittings
- Four (4) Yamaha[®] Water Separating Fuel Filters with Primer Bulbs

WATER SYSTEM

- 35 Gallon Water Tanks (2) with Single Point Level Indicator and 316L Stainless Steel Deck Fill Plate (starboard side)
- Premium Sea Tech Color Coded Water Hose System
 with Mechanically Crimped Ends
- Pressure Sensing/Variable Speed PumpFresh Water Distribution Manifold with
- Dedicated Valves
- Dockside Fresh Water Inlet with Pressure Regulator
- 6 Gallon Stainless Steel Water Heater, 240V/60 Cycle

GENERATOR • 120/240V, 60 Cycle 7.5 kW Cummins Onan Diesel

Fire Sunnression System

Friction Settings

Key Switch

Safety Lanyard

Steer Modes

12/1/2020

Dealer

Freight

Total

Dealer Prep

Dealer Discounts

Dealer Additions

Please see your local dealer for more information.

PURSUITBOATS.COM

Garmin Electronics)

Stay Point® Modes

YAMAHA® OUTBOARD POWER

Generator with Sound Enclosure and Service Slide

• EPA Compliant Lined 24 Gallon Rotomolded Fuel

- Tank with Engine Pickup, Shutoff Valves, Digital

Stainless Steel Deck Fill Plate (Port Side, Aft)

• Quad 425 HP Four Stroke Engines with Yamaha® Helm

• Stainless Steel Yamaha® XTO OS™ (SDS) Propellers

Electronic Quad Engine Binnacle Control with Single

Electronic Helm Control with Adjustable Steering

Button Automated Trim Adjustments, Speed Control,

• Yamaha® CL7 Display (CL7 Display deletes with optional

Push Button Start/Stop Panel with Integrated Proximity

• Single Joystick Operation with Fish Point[®], Drift Point[®] and

• Autopilot Operation with Dedicated Control Panel and

Heading Hold, Course Hold, Track Point and Pattern

• Joystick Operation Indicator Lights on the Transom (2)

Pursuit reserves the right to change boat specifications,

equipment, color schemes, and pricing, and/or discontinue

models at any time without notice or obligation. Some of the

boats shown include optional or dealer-installed equipment.

MasterEX™ Full Maneuverability Steering System Control

Single-Lever Operation and Center Engine only Operation

- Level Indicator, Water Separating Fuel Filter and 316L

OPTIONAL EQUIPMENT

BOAT with ENGINE

Quad Yamaha[®] Digital 425 XTO (Pearlescent White) with Helm Master[®] EX DEC Controls and Yamaha[®] Joystick Control with Full Maneuverability (DES, Set Point[™], and Autopilot) Includes Yamaha Electronic Engine Flushing System

COLOR OPTIONS

- Pursuit Carbon Hull
- Pursuit Flag Blue Hull
- Pursuit Gulf Stream Blue Hull
- Pursuit Neptune Gray Hull
- Pursuit Titanium Hull
- Full Color to Keel of Boat*
- *Excludes: Flag Blue and Carbon Colors
- Hull Paint Axalta Solid w/Painted Boot Stripe
- Hull Paint Axalta Effect w/Painted Boot Stripe
- 🖵 Quad Engine Paint Solid Axalta (Req. Hull Paint)
- 🖵 Quad Engine Paint Effect Axalta (Req. Hull Paint)
- Quad Engine Cowling Paint Axalta (Req. Hull Paint)
- Boot Stripe Color: Black/Black Standard Navy/Navy, Platinum/Platinum, Red/Red, Scarlet/Scarlet, Arctic White/Quartz Gray
- Helm Color: Carbon Standard, Titanium, Fresh White,Neptune Gray, Flag Blue, Gulf Stream Blue
 Underside Hardtop Gel Color: Carbon, Neptune Gray,
- Titanium, Flag Blue, Gulf Stream Blue
 Exterior Upholstery Color Sandstone Standard
- Exterior Opholstery Color Sea Salt

Cabin Upholstery Color - Driftwood - Standard
 Cabin Upholstery Color - Sand Dollar

MECHANICAL SYSTEMS

- Seakeeper 6 Gyro Stabilizer (includes Comprehensive Structural Integration, Seakeeper Factory Certified Installation, Recreation Gold Warranty, 4 Year 3000 Hours, Direct Seakeeper Support)
- Bow Tow Eye
- 240v/60Hz Cockpit A/C 16,000 BTU, High Volume Fan (Requires 3-sided Helm Enclosure Option)
- LED Spotlight (ACR RCL-100) with Remote Control at Helm
- Underwater Lights (6) All Color Sea Blaze X2 Spectrum

SPORT FISHING

- Hardtop Mounted Rod Holders (6)
- Outriggers, Taco Grand Slam 390 with 18' Telescoping Poles and Rigging Kit
- Outriggers, Taco Grand Slam 390 with 18' Premium Carbon Fiber Telescoping Poles and Rigging Kit
- Upgrade Starboard Cockpit Floor Fish Box (24 Gallon) to Refrigerator/Freezer with Digitally Controlled Thermostat
- □ Tower: Includes Garmin 8612, VHF, Yamaha®CL7 gauge, Yamaha® Joystick Control with Full Maneuverability,
- Console Cover and Helm Seat Cover (Delivery Via Truck) (*Must also select Garmin package*)

Tower - Includes Garmin 8612, VHF, Yamaha[®] CL7 gauge, Yamaha[®] Joystick Control with Full Maneuverability, Console Cover and Helm Seat Cover (Water Delivery Ft. Pierce) (Must also select Garmin package)

WEATHER GROUP

- □ Custom Makefast Sunshade (SS Electric Retractable/Aft Hardtop Integrated w/Color Match Cover)
- Forward Mediterranean Sunshade, Stowabl
- 🗅 Aft Curtain Stamoid® White
- □ Sunbrella® Engine Covers (4) Black, Tweed, Cadet Gray, Navy Sunbrella®
- □ Console 3-Sided Enclosure (Stamoid® w/60 mil Strataglass) (White) (*Required with AC Option*)
- □ Console 3-Sided Enclosure (Stamoid® w/Makrolon) (White) (Required with AC Option)

ELECTRONICS

- □ Stereo Upgrade: M6 Sport Speaker Covers and SiriusXM® Satellite Receiver
- □ Garmin[®] Electronics Package Includes: GPSMAP 8622xsv 22" Display, 8622 22" Display, B175M 1kW CHIRP Transducer, NMEA 2000 Starter Kit, Yamaha[®] MFDI Interface, VHF 315, VHF Antenna with Electrically Actuated Mount, Custom Pursuit Dash Panel
- 🖵 Garmin® GMR Fantom 54 Open Array Radar
- □ FLIR Night Vision with Image Stabilization (Requires Garmin® Pkg)
- Garmin Rear Facing Camera (Requires Garmin[®] Package)
- SiriusXM[®] Receiver for Weather (Subscription Required/Requires Garmin[®] Pkg)

